| Department of Veterans Affairs  |                                      | WRIST CONDITIONS<br>DISABILITY BENEFITS QUESTIONNAI    | RE                               |
|---|--------------------------------------|--|----------------------------------|
| Name of Claimant/Veteran:   |                                      | Claimant/Veteran's Social Security Number:             | Date of Examination:             |
|   |                                      |  |                                  |
| IMPORTANT - THE DEPARTMENT OF VETERANS.<br>COMPLETING AND/OR SUBMITTING THIS FORM.  | AFFAIRS (VA) WILL NOT PAY OR         | REIMBURSE ANY EXPENSES OR COST INCURRE                 | D IN THE PROCESS OF              |
| Note - The Veteran is applying to the U.S. Departmen<br>evaluation in processing the Veteran's claim. VA may<br>application. VA reserves the right to confirm the author<br>Veteran's provider. | obtain additional medical informatio | n, including an examination, if necessary, to complete | e VA's review of the veteran's   |
| Are you completing this Disability Benefits Question  | naire at the request of:             |  |                                  |
| Veteran/Claimant  |                                      |  |                                  |
| Other: please describe  |                                      |  |                                  |
| Are you a VA Healthcare provider? O Yes   | Νο                                   |  |                                  |
| Is the Veteran regularly seen as a patient in your cl   | nic? CYes CNo                        |  |                                  |
| Was the Veteran examined in person? O Yes   | No                                   |  |                                  |
| If no, how was the examination conducted?   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   | EVIDENO                              | CE REVIEW  |                                  |
| Evidence reviewed:  |                                      |  |                                  |
| ○ No records were reviewed  |                                      |  |                                  |
| C Records reviewed  |                                      |  |                                  |
| Please identify the evidence reviewed (e.g. service   | reatment records, VA treatment reco  | ords, private treatment records) and the date range.   |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   |                                      |  |                                  |
|   | DOMIN                                | ANT HAND   |                                  |
| Dominant hand: Right L  | ft Ambidextrous                      |  |                                  |
|   | SECTION                              | I - DIAGNOSIS  |                                  |
| 1A. List the claimed conditions that pertain to this que  | estionnaire:                         |  |                                  |
| Irist Conditions Disability Benefits Questionnaire  |                                      |  | Updated on: July 27, 2020 ~v20_* |

## **SECTION I - DIAGNOSIS (continued)**

Note: These are the diagnoses determined during this current evaluation of the claimed condition(s) listed above. If there is no diagnosis, if the diagnosis is different from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to the claimed condition, explain your findings and reasons in the Remarks Section. Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnosis or an approximate date determined through record review or reported history.

1B. Select diagnoses associated with the claimed condition(s) (check all that apply):

The Veteran does not have a current diagnosis associated with any claimed conditions listed above. (Explain your findings and reasons in the Remarks Section)

|        |  |               |            | Side affe   | ected:  |         |      | ICD Code:          | Da     | te of diagnosis: |       |
|--------|--|---------------|------------|-------------|---------|---------|------|--------------------|--------|------------------|-------|
|        | Wrist sprain, chronic  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Ganglion cyst  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Carpal metacarpal (CMC) arthritis  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Triangular fibrocartilaginous complex (TFCC) injury                          |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | DeQuervain's syndrome  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Carpal instability (intercalated segmen midcarpal/scapholunate dissociation) | t/            | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Avascular necrosis of carpal bones   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Wrist arthroplasty (total/ulnar head<br>replacement)                         |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Ankylosis of wrist   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Degenerative arthritis, other than post traumatic                            | · 🛛           | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Arthritis, gonorrheal  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Arthritis, pneumococcic  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Arthritis, streptococcic   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Arthritis, syphilitic  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Arthritis, rheumatoid (multi-joints)   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Post-traumatic arthritis   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Arthritis, typhoid   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Other specified forms of arthropathy (excluding gout) (specify)              |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        |  |               |            |             |         |         |      |                    |        |                  |       |
|        | Osteoporosis, residuals of   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Osteomalacia, residuals of   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Bones, neoplasm, benign  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Osteitis deformans   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Gout   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Bursitis   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Myositis   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Heterotopic ossification   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Tendinopathy (select one if known)   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Tenosynovitis  |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Tendinitis   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Tendinosis   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Inflammatory other types (specify)   |               | Right      |             | Left    |         | Both |                    | Right: |                  | Left: |
|        | Other (specify)  |               |            |             |         |         |      |                    |        |                  |       |
|        | Other diagnosis #1   |               |            |             |         |         |      |                    |        |                  |       |
|        | Side affected: Right   | Left          |            | Both        | ICE     | O Code: |      | Date of diagnosis: | Right: |                  | Left: |
|        | Other diagnosis #2   |               |            |             |         |         |      |                    | -      |                  |       |
|        | Side affected: Right   | Left          |            | Both        | ICE     | OCode:  |      | Date of diagnosis: | Right: |                  | Left: |
| If the | re are additional diagnoses that pertain                                     | to wrist cond | litions, l | ist using a | bove fo | ormat:  |      |                    |        |                  |       |
|        |  |               |            |             |         |         |      |                    |        |                  |       |
|        |  |               |            |             |         |         |      |                    |        |                  |       |

| SECTION II - MEDICAL HISTORY  |   |  |  |  |  |
|---|---|--|--|--|--|
| 2A. Describe the history (including onset and course) of the Veteran's wrist condition (brief summary):   |   |  |  |  |  |
|   |   |  |  |  |  |
|   |   |  |  |  |  |
| 2B. Does the Veteran report flare-ups of the wrist? Yes No If yes, docur frequency, duration, characteristics, precipitating and alleviating factors, severity and/or ex  | ment the Veteran's description of the flare-ups he or she experiences, including the<br>ktent of functional impairment he or she experiences during a flare-up of symptoms.   |  |  |  |  |
|   |   |  |  |  |  |
| 2C. Does the Veteran report having any functional loss or functional impairment of the joir repeated use over time?   | nt or extremity being evaluated on this questionnaire, including but not limited to after scription of functional loss or functional impairment in his/her own words.   |  |  |  |  |
|   |   |  |  |  |  |
| SECTION III - RANGE OF MOTION (   | ROM) AND FUNCTIONAL LIMITATION  |  |  |  |  |
| There are several separate parameters requested for describing function of a joint. The que<br>can be ascribed to any documented loss of range of motion; and, unlike later questions, do<br>questions take into account additional factors such as pain, fatigue, weakness, lack of endu<br>understand whether or not that pain itself contributes to functional loss. Ideally, a claimant w<br>is not always feasible.  | irance, or incoordination. If there is pain noted on examination, it is important to  |  |  |  |  |
| Information regarding joint function on repetitive use is broken up into two subsets. The first subset is based on observed repetitive use, and the second is based on functional loss associated with repeated use over time. The observed repetitive use section initially asks for objective findings after three or more repetitions of range of motion testing. The second subset provides a more global picture of functional loss associated with repetitive use over time. The latter takes into account medical probability of additional functional loss as a global view. This takes into account not only the objective findings noted on the examination, but also the subjective history provided by the claimant, as well as review of the available medical evidence. |   |  |  |  |  |
| Optimally, a description of any additional loss of function should be provided - such as wha<br>However, when this is not feasible, an "as clear as possible" description of that loss should<br>with regards to flare-ups.   |   |  |  |  |  |
| RIGHT WRIST   | LEFT WRIST  |  |  |  |  |
| 3A. Initial ROM measurements  | 3A. Initial ROM measurements  |  |  |  |  |
| All normal Abnormal or outside of normal range  | All normal Abnormal or outside of normal range  |  |  |  |  |
| Unable to test Not indicated  | Unable to test Not indicated  |  |  |  |  |
| If "Unable to test" or "Not indicated" please explain:  | If "Unable to test" or "Not indicated" please explain:  |  |  |  |  |
|   |   |  |  |  |  |
| If ROM is outside of "normal" range, but is normal for the Veteran (for reason other than a wrist condition, such as age, body habitus, neurologic disease), please describe:   | If ROM is outside of "normal" range, but is normal for the Veteran (for reason other than a wrist condition, such as age, body habitus, neurologic disease), please describe:   |  |  |  |  |
|   |   |  |  |  |  |
| If abnormal, does the range of motion itself contribute to a functional loss?   | If abnormal, does the range of motion itself contribute to a functional loss?   |  |  |  |  |
|   |   |  |  |  |  |
|   | notion, and on both weight-bearing and nonweight-bearing. Examiners should also test the<br>nedically contraindicated (such as it may cause the Veteran severe pain or the risk of further<br>rved on examination (such as facial expression or wincing on pressure or manipulation). |  |  |  |  |

| SECTION III - RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATION (continued)  |  |  |  |  |
|--|--|--|--|--|
| RIGHT WRIST  | LEFT WRIST   |  |  |  |
| 3A. Initial ROM measurements (continued)   | 3A. Initial ROM measurements (continued)   |  |  |  |
| Can testing be performed?  Yes No If no, provide an explanation:   | Can testing be performed?  Yes No If no, provide an explanation:   |  |  |  |
|  |  |  |  |  |
| If this is the unclaimed joint, is it: Damaged Undamaged   | If this is the unclaimed joint, is it: Damaged Undamaged   |  |  |  |
| If undamaged, range of motion testing must be conducted.   | If undamaged, range of motion testing must be conducted.   |  |  |  |
| Active Range of Motion (ROM) - Perform active ROM and provide the ROM values:  | Active Range of Motion (ROM) - Perform active ROM and provide the ROM values:  |  |  |  |
| Dorsiflexion endpoint (70 degrees): degrees  | Dorsiflexion endpoint (70 degrees): degrees  |  |  |  |
| Palmar flexion endpoint (80 degrees): degrees  | Palmar flexion endpoint (80 degrees): degrees  |  |  |  |
| Ulnar deviation endpoint (45 degrees): degrees   | Ulnar deviation endpoint (45 degrees): degrees   |  |  |  |
| Radial deviation endpoint (20 degrees): degrees  | Radial deviation endpoint (20 degrees): degrees  |  |  |  |
| If noted on examination, which ROM exhibited pain? (Select all that apply.)  | If noted on examination, which ROM exhibited pain? (Select all that apply.)  |  |  |  |
| Dorsiflexion Ulnar deviation   | Dorsiflexion Ulnar deviation   |  |  |  |
| Palmar flexion Radial deviation  | Palmar flexion     Radial deviation  |  |  |  |
| If any limitation of motion is specifically attributable to pain, weakness, fatigability,<br>incoordination, or other, please note the degree(s) in which limitation of motion is<br>specifically attributable to the factors identified and describe. | If any limitation of motion is specifically attributable to pain, weakness, fatigability,<br>incoordination, or other, please note the degree(s) in which limitation of motion is<br>specifically attributable to the factors identified and describe. |  |  |  |
| Dorsiflexion degree endpoint (if       Ulnar deviation degree endpoint (if        different than above)      different than above)   | Dorsiflexion degree endpoint (if Ulnar deviation degree endpoint (if different than above) different than above)   |  |  |  |
| Palmar flexion degree endpoint (if Radial deviation degree endpoint different than above) (if different than above)  | Palmar flexion degree endpoint (if<br>different than above)Radial deviation degree endpoint<br>(if different than above)   |  |  |  |
| Describe:  | Describe:  |  |  |  |
|  |  |  |  |  |
| Passive Range of Motion - Perform passive ROM and provide the ROM values.  | Passive Range of Motion - Perform passive ROM and provide the ROM values.  |  |  |  |
| Dorsiflexion endpoint (70 degrees): degrees Same as active ROM   | Dorsiflexion endpoint (70 degrees): degrees Same as active ROM   |  |  |  |
| Palmar flexion endpoint (80 degrees): degrees 🔲 Same as active ROM   | Palmar flexion endpoint (80 degrees): degrees 🔲 Same as active ROM   |  |  |  |
| Ulnar deviation endpoint (45 degrees): degrees 🔲 Same as active ROM  | Ulnar deviation endpoint (45 degrees): degrees 🔲 Same as active ROM  |  |  |  |
| Radial deviation endpoint (20 degrees): degrees 🔲 Same as active ROM   | Radial deviation endpoint (20 degrees): degrees Same as active ROM   |  |  |  |
| If noted on examination, which passive ROM exhibited pain? (select all that apply):  | If noted on examination, which passive ROM exhibited pain? (select all that apply):  |  |  |  |
| Dorsiflexion Ulnar deviation   | Dorsiflexion Ulnar deviation   |  |  |  |
| Palmar flexion Radial deviation  | Palmar flexion Radial deviation  |  |  |  |
| If any limitation of motion is specifically attributable to pain, weakness, fatigability,<br>incoordination, or other, please note the degree(s) in which limitation of motion is<br>specifically attributable to the factors identified and describe. | If any limitation of motion is specifically attributable to pain, weakness, fatigability,<br>incoordination, or other, please note the degree(s) in which limitation of motion is<br>specifically attributable to the factors identified and describe. |  |  |  |
| Dorsiflexion degree endpoint (if       Ulnar deviation degree endpoint (if         different than above)       different than above)         Palmar flexion degree endpoint (if       Radial deviation degree endpoint                                 | Dorsiflexion degree endpoint (if       Ulnar deviation degree endpoint (if        different than above)      different than above)         Palmar flexion degree endpoint (if       Radial deviation degree endpoint                                   |  |  |  |
| different than above)(if different than above)   | different than above) (if different than above)  |  |  |  |
| Describe:  | Describe:  |  |  |  |
|  |  |  |  |  |
| Is there evidence of pain? 🗌 Yes 📄 No If yes, check all that apply:  | Is there evidence of pain?   |  |  |  |
| weight-bearing nonweight-bearing   | weight-bearing nonweight-bearing   |  |  |  |
| active motion     passive motion     on rest/non-movement  | active motion     passive motion     on rest/non-movement  |  |  |  |
| causes functional loss (if checked does not result in/cause functional describe in the comments box below)   | causes functional loss (if checked does not result in/cause functional loss (if checked describe in the comments box below)  |  |  |  |

| SECTION III - RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATION (continued)  |   |  |  |  |
|--|---|--|--|--|
| RIGHT WRIST  | LEFT WRIST  |  |  |  |
| 3A. Initial ROM measurements (continued)   | 3A. Initial ROM measurements (continued)  |  |  |  |
| Comments:  | Comments:   |  |  |  |
|  |   |  |  |  |
|  |   |  |  |  |
|  |   |  |  |  |
| Is there objective evidence of crepitus?   | Is there objective evidence of crepitus? Yes No   |  |  |  |
| Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue? Yes No If yes, please explain. Include location, severity, and relationship to condition(s).  | Is there objective evidence of localized tenderness or pain on palpation of the joint or associated soft tissue? Yes No If yes, please explain. Include location, severity, and relationship to condition(s). |  |  |  |
|  |   |  |  |  |
| 3B. Observed repetitive use ROM  | 3B. Observed repetitive use ROM   |  |  |  |
| Is the Veteran able to perform repetitive-use testing with at least three repetitions?   | Is the Veteran able to perform repetitive-use testing with at least three repetitions?           Yes         No         If no, please explain:  |  |  |  |
|  |   |  |  |  |
| Is there additional loss of function or range of motion after three repetitions?   | Is there additional loss of function or range of motion after three repetitions?  |  |  |  |
| Yes No If yes, please respond to the following after the completion of the three repetitions:  | Yes No If yes, please respond to the following after the completion of the three repetitions:   |  |  |  |
| Dorsiflexion endpoint (70 degrees): degrees  | Dorsiflexion endpoint (70 degrees): degrees   |  |  |  |
| Palmar flexion endpoint (80 degrees): degrees  | Palmar flexion endpoint (80 degrees): degrees   |  |  |  |
| Ulnar deviation endpoint (45 degrees): degrees   | Ulnar deviation endpoint (45 degrees): degrees  |  |  |  |
| Radial deviation endpoint (20 degrees): degrees  | Radial deviation endpoint (20 degrees): degrees   |  |  |  |
| Select factors that cause this functional loss. (Check all that apply):  | Select factors that cause this functional loss. (Check all that apply):   |  |  |  |
| □ N/A □ Pain □ Fatigability □ Weakness   | │ N/A │ Pain │ Fatigability │ Weakness  |  |  |  |
| Lack of endurance     Incoordination   | □ Lack of endurance □ Incoordination  |  |  |  |
| □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □  |   |  |  |  |
|  |   |  |  |  |
| Note: When pain is associated with movement, the examiner must give a statement on whe use over time in terms of additional loss of range of motion. In the exam report, the examiner flect frequency, duration, and during flare-ups - even if not directly observed during a flate-ups - even if not directly observed | ner is requested to provide an estimate of decreased range of motion (in degrees) that  |  |  |  |
| 3C. Repeated use over time   | 3C. Repeated use over time  |  |  |  |
| Is the Veteran being examined immediately after repeated use over time?  | Is the Veteran being examined immediately after repeated use over time?   |  |  |  |
| Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?   | Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with repeated use over time?    |  |  |  |
| Select factors that cause this functional loss. (Check all that apply):  | Select factors that cause this functional loss. (Check all that apply):   |  |  |  |
| 🗌 N/A 📄 Pain 📄 Fatigability 📄 Weakness   | 🗌 N/A 🔲 Pain 📄 Fatigability 📄 Weakness  |  |  |  |
| Lack of endurance Incoordination   | Lack of endurance     Incoordination  |  |  |  |
| Other  | Cther   |  |  |  |
|  |   |  |  |  |

| SECTION III - RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATION (continued)  |  |  |  |  |  |
|--|--|--|--|--|--|
| RIGHT WRIST  | LEFT WRIST   |  |  |  |  |
| 3C. Repeated use over time (continued)   | 3C. Repeated use over time (continued)   |  |  |  |  |
| Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources including the lay statements of the Veteran.   | Estimate range of motion in degrees for this joint immediately after repeated use over time based on information procured from relevant sources including the lay statements of the Veteran.   |  |  |  |  |
| Dorsiflexion endpoint (70 degrees): degrees  | Dorsiflexion endpoint (70 degrees): degrees  |  |  |  |  |
| Palmar flexion endpoint (80 degrees): degrees  | Palmar flexion endpoint (80 degrees): degrees  |  |  |  |  |
| Ulnar deviation endpoint (45 degrees): degrees   | Ulnar deviation endpoint (45 degrees): degrees   |  |  |  |  |
| Radial deviation endpoint (20 degrees): degrees  | Radial deviation endpoint (20 degrees): degrees  |  |  |  |  |
| The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed. | The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed. |  |  |  |  |
| Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)   | Please cite and discuss evidence. (Must be specific to the case and based on all procurable evidence.)   |  |  |  |  |
|  |  |  |  |  |  |
| 3D. Flare-ups  | 3D. Flare-ups  |  |  |  |  |
| Is the examination being conducted during a flare-up?  Yes No  | Is the examination being conducted during a flare-up?  Yes No  |  |  |  |  |
| Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?  | Does procured evidence (statements from the Veteran) suggest pain, fatigability, weakness, lack of endurance, or incoordination which significantly limits functional ability with flare-ups?  |  |  |  |  |
| Select factors that cause this functional loss. (Check all that apply):  | Select factors that cause this functional loss. (Check all that apply):  |  |  |  |  |
| N/A Pain Fatigability Weakness   | 🗌 N/A 🔲 Pain 🔲 Fatigability 🔲 Weakness   |  |  |  |  |
| Lack of endurance Incoordination   | Lack of endurance Incoordination   |  |  |  |  |
| Other  | Other  |  |  |  |  |
| Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran.   | Estimate range of motion in degrees for this joint during flare-ups based on information procured from relevant sources including the lay statements of the Veteran.   |  |  |  |  |
| Dorsiflexion endpoint (70 degrees): degrees  | Dorsiflexion endpoint (70 degrees): degrees  |  |  |  |  |
| Palmar flexion endpoint (80 degrees): degrees  | Palmar flexion endpoint (80 degrees): degrees  |  |  |  |  |
| Ulnar deviation endpoint (45 degrees): degrees   | Ulnar deviation endpoint (45 degrees): degrees   |  |  |  |  |
| Radial deviation endpoint (20 degrees): degrees  | Radial deviation endpoint (20 degrees): degrees  |  |  |  |  |
| The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed. | The examiner should provide the estimated range of motion based on a review of all procurable information - to include the Veteran's statement on examination, case-specific evidence (to include medical treatment records when applicable and lay evidence), and the examiner's medical expertise. If, after evaluation of the procurable and assembled data, the examiner determines that it is not feasible to provide this estimate, the examiner should explain why an estimate cannot be provided. The explanation should not be based on an examiner's shortcomings or a general aversion to offering an estimate on issues not directly observed. |  |  |  |  |
| procurable evidence.)  | procurable evidence.)  |  |  |  |  |
|  |  |  |  |  |  |

| SECTION III - RANGE OF MOTION (ROM) AND FUNCTIONAL LIMITATION (continued)  |  |  |  |  |
|--|--|--|--|--|
| RIGHT WRIST  | LEFT WRIST   |  |  |  |
| 3E. Additional factors contributing to disability  | 3E. Additional factors contributing to disability  |  |  |  |
| In addition to those addressed above, are there additional contributing factors of disability? Please select all that apply and describe:                          | In addition to those addressed above, are there additional contributing factors of<br>disability? Please select all that apply and describe:                       |  |  |  |
| None None  | □ None   |  |  |  |
| Interference with standing   | Interference with standing   |  |  |  |
| Disturbance of locomotion  | Disturbance of locomotion Swelling   |  |  |  |
| Less movement than normal Deformity  | Less movement than normal Deformity  |  |  |  |
| Weakened movement More movement than normal  | Weakened movement More movement than normal  |  |  |  |
| Instability of station   | Instability of station   |  |  |  |
| Other, describe:   | Other, describe:   |  |  |  |
| Please describe additional contributing factors of disability:   | Please describe additional contributing factors of disability:   |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
| 4A. Does the Veteran have muscle atrophy?  Yes  No   | 4A. Does the Veteran have muscle atrophy? Yes No   |  |  |  |
| 4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section?         Yes       No         If no, provide rationale:                    | 4B. If yes, is the muscle atrophy due to the claimed condition in the diagnosis section?         Yes       No         If no, provide rationale:                    |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
| 4C. For any muscle atrophy due to a diagnosis listed in Section I, indicate specific location of atrophy, providing measurements in centimeters of normal side and | 4C. For any muscle atrophy due to a diagnosis listed in Section I, indicate specific location of atrophy, providing measurements in centimeters of normal side and |  |  |  |
| corresponding arrophied side, measured at maximum muscle bulk.   | corresponding atrophied side, measured at maximum muscle bulk.<br>Left upper extremity (specify location of measurement, such as "10 cm below                      |  |  |  |
| anterior elbow crease"):   | anterior elbow crease"):   |  |  |  |
| Circumference of more Circumference of   | Circumference of more Circumference of   |  |  |  |
| normal side: CM atrophied side: CM   | normal side: <sup>cm</sup> atrophied side: <sup>cm</sup>   |  |  |  |
| SECTION V  | ANKYLOSIS  |  |  |  |
| NOTE : Ankylosis is the immobilization of a joint due to disease, injury, or surgical proced   |  |  |  |  |
| 5A. Is there ankylosis of the wrist? Yes No<br>If yes, indicate severity of ankylosis:   | 5A. Is there ankylosis of the wrist? Yes No<br>If yes, indicate severity of ankylosis:   |  |  |  |
| Extremely unfavorable  | Extremely unfavorable  |  |  |  |
| Unfavorable, in any degree of palmar flexion   | Unfavorable, in any degree of palmar flexion   |  |  |  |
| If checked, provide degrees of palmar flexion:   | If checked, provide degrees of palmar flexion:   |  |  |  |
| Unfavorable, with ulnar deviation  | Unfavorable, with ulnar deviation  |  |  |  |
| If checked, provide degrees of ulnar deviation:  | If checked, provide degrees of ulnar deviation:  |  |  |  |
| If checked, provide degrees of radial deviation:   | If checked, provide degrees of radial deviation:   |  |  |  |
| Any other position except favorable  | Any other position except favorable  |  |  |  |
| If checked,  | If checked,  |  |  |  |
| describe:<br>Favorable in 20 to 30 degrees dorsiflexion  | describe:  |  |  |  |
| 5B: Comments if any:   | 5B: Comments if any:   |  |  |  |
|  |  |  |  |  |
|  |  |  |  |  |
| Wrist Conditions Disability Benefits Questionnaire   | Updated on: July 27, 2020 ~v20_1   |  |  |  |

| SECTION VI - SURG   | GICAL PROCEDURES  |  |  |  |  |
|---|---|--|--|--|--|
| RIGHT WRIST   | LEFT WRIST  |  |  |  |  |
| 6A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested (check all that apply):   | 6A. Indicate any surgical procedures that the Veteran has had performed and provide the additional information as requested (check all that apply): |  |  |  |  |
| No surgery  | No surgery  |  |  |  |  |
| Total wrist joint replacement Date of surgery:  | Total wrist joint replacement Date of surgery:  |  |  |  |  |
| Residuals: 🔲 None   | Residuals: 🔲 None   |  |  |  |  |
| Intermediate degrees of residual weakness, pain, or limitation of motion  | Intermediate degrees of residual weakness, pain, or limitation of motion  |  |  |  |  |
| Chronic residuals consisting of severe painful motion or weakness   | Chronic residuals consisting of severe painful motion or weakness   |  |  |  |  |
| Other<br>residuals,<br>describe:  | Other<br>considuals,<br>describe:   |  |  |  |  |
| Arthroscopic or other wrist surgery   | Arthroscopic or other wrist surgery   |  |  |  |  |
| Type of Surgery:  | Type of Surgery:  |  |  |  |  |
| Date of Surgery:  | Date of Surgery:  |  |  |  |  |
| Describe residuals:   | Describe residuals:   |  |  |  |  |
|   |   |  |  |  |  |
|   |   |  |  |  |  |
|   |   |  |  |  |  |
| SECTION VII - OTHER PERTINENT PHYSICAL FINDINGS, COM  | IPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS, AND SCARS   |  |  |  |  |
| 7A. Does the Veteran have any other pertinent physical findings, complications, condition<br>Yes No If yes, describe (brief summary):   | s, signs or symptoms related to any conditions listed in the diagnosis section above?   |  |  |  |  |
|   |   |  |  |  |  |
|   |   |  |  |  |  |
| 7B. Does the Veteran have any scars or other disfigurement of the skin related to any cor   |   |  |  |  |  |
| SECTION VIII - ASSISTIVE DEVICES  |   |  |  |  |  |
| 8A. Does the Veteran use any assistive devices? Yes No  |   |  |  |  |  |
| If yes, identify the assistive devices used (check all that apply and indicate frequency):  |   |  |  |  |  |
| Brace Fr  | requency of use: Occasional Regular Occasional  |  |  |  |  |
| Other, describe:  | equency of use: 🔲 Occasional 📄 Regular 📄 Constant   |  |  |  |  |
| 8B. If the Veteran uses any assistive devices, specify the condition, indicate the side, and  | I identify the assistive device used for each condition.  |  |  |  |  |
|   |   |  |  |  |  |
| SECTION IX - REMAINING EFFECTION  | VE FUNCTION OF THE EXTREMITIES  |  |  |  |  |
| Note: The intention of this section is to permit the examiner to quantify the level of remain amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or p examiner should check "yes" and describe the diminished functioning. The question simple the affected limb. | · · · ·   |  |  |  |  |
| 9A. Due to the Veteran's wrist condition(s), is there functional impairment of an extremity by an amputation with prosthesis (functions of the upper extremity include grasping, mani   | such that no effective function remains other than that which would be equally well served ipulation, etc.)?  |  |  |  |  |
| Yes, functioning is so diminished that amputation with prosthesis would equally se  | rve the Veteran No  |  |  |  |  |
| If yes, indicate extremities for which this applies:  | Left upper  |  |  |  |  |
| 9B. For each checked extremity, identify the condition causing loss of function, describe lo  | oss of effective function and provide specific examples (brief summary):  |  |  |  |  |
|   |   |  |  |  |  |

| SECTION X - DIAGNOSTIC TESTING   |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| Note: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or post-traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened. |  |  |  |  |  |  |
| 10A. Have imaging studies been performed in conjunction with this examination?   |  |  |  |  |  |  |
| 10B. If yes, is degenerative or post-traumatic arthritis documented? 🔲 Yes 📄 No  |  |  |  |  |  |  |
| Indicate side: Right Left Both   |  |  |  |  |  |  |
| 10C. If yes provide type of test or procedure, date and results (brief summary):   |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| 10D. Are there any other significant diagnostic test findings or results related to the claimed condition(s) and/or diagnosis(es), that were reviewed in conjunction with this examination? Yes No If yes, provide type of test or procedure, date and results (brief summary):  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| 10E. If any test results are other than normal, indicate relationship of abnormal findings to diagnosed conditions:  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| SECTION XI - FUNCTIONAL IMPACT   |  |  |  |  |  |  |
| Note: Provide the impact of only the diagnosed condition(s), without consideration of the impact of other medical conditions or factors, such as age.  |  |  |  |  |  |  |
| 11A. Regardless of the Veteran's current employment status, do the conditions listed in the diagnosis section impact his/her ability to perform any type of occupational task (such as standing, walking, lifting, sitting, etc.)? Yes No If yes, describe the functional impact of each condition, providing one or more examples:      |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| SECTION XII - REMARKS  |  |  |  |  |  |  |
| 12A. Remarks, (if any – please identify the section to which the remark pertains when appropriate).  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| SECTION XIII - EXAMINER'S CERTIFICATION AND SIGNATURE  |  |  |  |  |  |  |
| CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.   |  |  |  |  |  |  |
| 13A. Examiner's signature:       13B. Examiner's printed name and title (e.g. MD, DO, DDS, DMD, Ph.D, Psy.D, NP, PA-C):  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| 13C. Examiner's Area of Practice/Specialty (e.g. Cardiology, Orthopedics, Psychology/Psychiatry, General Practice):       13D. Date Signed:  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| 13E. Examiner's phone/fax numbers:       13F. National Provider Identifier (NPI) number:       13G. Medical license number and state:  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| 13H. Examiner's address:   |  |  |  |  |  |  |
|  |  |  |  |  |  |  |
| Wrist Conditions Disability Benefits Questionnaire Updated on: July 27, 2020 ~v2   |  |  |  |  |  |  |